

**Erasmus University Rotterdam, the Netherlands**  
**CSC PhD 2015 Project Description**

<b>School/Department:</b>	<b>Department of Neurology</b>
<b>Project Title:</b>	Enzymatic detection of kinases in brain tumor tissue
<b>Abstract:</b>	<p>Kinases are proteins that are involved in the function of various pathways and protein cascades in cells. In the oncogenesis and progression of brain tumors, kinases play a prominent role. Extensive genomics analyses (including RNAseq) have clearly demonstrated that in glioma kinases such as EGFR can be amplified but also contain many different mutations and deletions (Brennan et al. 2013). We recently developed a novel technique to determine kinase activity. In short, we synthesized specific peptide substrate molecules that can be converted by an individual kinase and measured by mass spectrometry (MS). This MS technology allows detection of kinase activity in primary glioma cell cultures. Further, we were able to quantify specific kinase activity using stable-isotope labelled substrate and product molecules. However, primary cell cultures are a model for glioma and might not reflect the actual situation in the tumor tissue.</p> <p>In this project we like to address the following research questions</p> <ol style="list-style-type: none"> <li>1) can we detect kinase activity in frozen pure kinases as processed in the situation of frozen tissue</li> <li>2) can we detect kinases in fresh frozen glioma tissue</li> <li>3) does the glioma primary cell culture model reflect the kinase activity in the original glioma tissue.</li> <li>4) can we correlate the kinase activity profile of various kinases including EGFR with RNA microarray and next generation sequencing data, protein identification and phosphosites of kinases of a series of glioma tissues and primary glioma cell cultures.</li> <li>5) Can we understand that some drugs affecting kinases are not working properly in glioma because of aberrant kinase activity, kinase abundance, specific post-translational phosphosite modifications, mutations or combinations thereof.</li> </ol> <p>The project is embedded in an awarded STW grant (2013) titled: Defining Kinase Activity for Personalized Cancer Treatment: Development of Next Generation Multiplex Mass-Spectrometry based Kinome Profiling. (STW= a technology innovation support of the Dutch government)</p> <p>For review: Zahonero C and Sanchez-Gomez P, EGFR-dependent mechanisms in glioblastoma: towards a better</p>

**Erasmus University Rotterdam, the Netherlands**  
**CSC PhD 2015 Project Description**

	therapeutic strategy. <i>Cell Mol Life Sci.</i> 2014 [Epub ahead of print]
<b>Requirements of candidate:</b>	<p>Master degree: Yes</p> <p>Background:  The candidate ought to be a motivated student with interest in biology, technology and bioinformatics. The candidate (him/her) ought to be able to write in scientific English language. It is highly appreciated if the candidate can speak the English language well.</p> <p>IELTS Grade: 7.0 (minimal 6.0 per component)  or  TOEFL: 100 (minimal 20 per component)</p>
<b>Supervisor information:</b>	<p>Prof. dr. Peter Sillevissmitt (promotor) / Dr. Theo Luider (co-promotor)  Email addresses :  p.sillevismitt@erasmusmc.nl  t.luider@erasmusmc.nl  Personal website  Recent publication list, preferably last 3-5 years (1-2 pages)<sup>1-62</sup></p> <ol style="list-style-type: none"> <li>1. Stingl, C.; Soderquist, M.; Karlsson, O.; Boren, M.; Luider, T. M., Uncovering effects of ex-vivo protease activity during proteomics and peptidomics sample extraction in rat brain tissue by oxygen-18 labelling. <i>J Proteome Res</i> <b>2014</b>.</li> <li>2. Rodriguez-Blanco, G.; Burgers, P. C.; Dekker, L. J.; Ijzermans, J. J.; Wildhagen, M. F.; Schenk-Braat, E. A.; Bangma, C. H.; Jenster, G.; Luider, T. M., Serum levels of arachidonic acid metabolites change during prostate cancer progression. <i>Prostate</i> <b>2014</b>, 74, (6), 618-27.</li> <li>3. Liu, X.; Dekker, L. J.; Wu, S.; Vanduijn, M. M.; Luider, T. M.; Tolic, N.; Kou, Q.; Dvorkin, M.; Alexandrova, S.; Vyatkina, K.; Pasa-Tolic, L.; Pevzner, P. A., De novo protein sequencing by combining top-down and bottom-up tandem mass spectra. <i>J Proteome Res</i> <b>2014</b>, 13, (7), 3241-8.</li> <li>4. Liu, N. Q.; Stingl, C.; Look, M. P.; Smid, M.; Braakman, R. B.; De Marchi, T.; Sieuwerts, A. M.; Span, P. N.; Sweep, F. C.; Linderholm, B. K.; Mangia, A.; Paradiso, A.; Dirix, L. Y.; Van Laere, S. J.; Luider, T. M.; Martens, J. W.; Foekens, J. A.; Umar, A., Comparative proteome analysis revealing an 11-protein signature for aggressive triple-negative breast cancer. <i>J Natl Cancer Inst</i> <b>2014</b>, 106, (2), djt376.</li> </ol>

5. Jamalian, A.; Sneekes, E. J.; Wienk, H.; Dekker, L. J.; Ruttink, P. J.; Ursem, M.; Luider, T. M.; Burgers, P. C., Identifying Ca<sup>2+</sup> binding sites in proteins by Liquid Chromatography - Mass Spectrometry using Ca<sup>2+</sup> directed dissociations. *Mol Cell Proteomics* **2014**.
6. Dekker, L.; Wu, S.; Vanduijn, M.; Tolic, N.; Stingl, C.; Zhao, R.; Luider, T.; Pasa-Tolic, L., An integrated top-down and bottom-up proteomic approach to characterize the antigen-binding fragment of antibodies. *Proteomics* **2014**.
7. de Costa, D.; Broodman, I.; Calame, W.; Stingl, C.; Dekker, L. J.; Vernhout, R. M.; de Koning, H. J.; Hoogsteden, H. C.; Sillevius Smitt, P. A.; van Klaveren, R. J.; Luider, T. M.; Vanduijn, M. M., Peptides from the variable region of specific antibodies are shared among lung cancer patients. *PLoS One* **2014**, 9, (5), e96029.
8. van Velzen, M.; Missotten, T.; van Loenen, F. B.; Meesters, R. J.; Luider, T. M.; Baarsma, G. S.; Osterhaus, A. D.; Verjans, G. M., Acyclovir-resistant herpes simplex virus type 1 in intra-ocular fluid samples of herpetic uveitis patients. *J Clin Virol* **2013**, 57, (3), 215-21.
9. van der Vries, E.; Stittelaar, K. J.; van Amerongen, G.; Veldhuis Kroeze, E. J.; de Waal, L.; Fraaij, P. L.; Meesters, R. J.; Luider, T. M.; van der Nagel, B.; Koch, B.; Vulto, A. G.; Schutten, M.; Osterhaus, A. D., Prolonged influenza virus shedding and emergence of antiviral resistance in immunocompromised patients and ferrets. *PLoS Pathog* **2013**, 9, (5), e1003343.
10. Stoop, M. P.; Singh, V.; Stingl, C.; Martin, R.; Khademi, M.; Olsson, T.; Hintzen, R. Q.; Luider, T. M., Effects of natalizumab treatment on the cerebrospinal fluid proteome of multiple sclerosis patients. *J Proteome Res* **2013**, 12, (3), 1101-7.
11. Singh, V.; Stoop, M. P.; Stingl, C.; Luitwieler, R. L.; Dekker, L. J.; van Duijn, M. M.; Kreft, K. L.; Luider, T. M.; Hintzen, R. Q., Cerebrospinal-fluid-derived immunoglobulin G of different multiple sclerosis patients shares mutated sequences in complementarity determining regions. *Mol Cell Proteomics* **2013**, 12, (12), 3924-34.
12. Mustafa, D.; Swagemakers, S.; French, P.; Luider, T. M.; van der Spek, P.; Kremer, A.; Kros, J. M., Structural and expression differences between the vasculature of pilocytic astrocytomas and glioblastomas. *J Neuropathol Exp Neurol* **2013**, 72, (12), 1171-81.
13. Liu, N. Q.; Dekker, L. J.; Stingl, C.; Guzel, C.; De Marchi, T.; Martens, J. W.; Foekens, J. A.; Luider, T. M.; Umar, A., Quantitative proteomic analysis of microdissected breast cancer tissues: comparison of label-free and SILAC-based quantification with shotgun, directed, and targeted MS approaches. *J Proteome Res* **2013**, 12, (10), 4627-41.

14. L, I. J.; Stoop, M. P.; Stingl, C.; Sillevius Smitt, P. A.; Luider, T. M.; Dekker, L. J., Comparative study of targeted and label-free mass spectrometry methods for protein quantification. *J Proteome Res* **2013**, 12, (4), 2005-11.
15. Ijsselstijn, L.; Papma, J. M.; Dekker, L. J.; Calame, W.; Stingl, C.; Koudstaal, P. J.; Prins, N. D.; Sillevius Smitt, P. A.; Luider, T. M., Serum proteomics in amnesic mild cognitive impairment. *Proteomics* **2013**, 13, (16), 2526-33.
16. Duijvesz, D.; Burnum-Johnson, K. E.; Gritsenko, M. A.; Hoogland, A. M.; Vredenburg-van den Berg, M. S.; Willemsen, R.; Luider, T.; Pasa-Tolic, L.; Jenster, G., Proteomic profiling of exosomes leads to the identification of novel biomarkers for prostate cancer. *PLoS One* **2013**, 8, (12), e82589.
17. den Boer, E.; Meesters, R. J.; van Zelst, B. D.; Luider, T. M.; Hazes, J. M.; Heil, S. G.; de Jonge, R., Measuring methotrexate polyglutamates in red blood cells: a new LC-MS/MS-based method. *Anal Bioanal Chem* **2013**, 405, (5), 1673-81.
18. de Graaf, M.; Herfst, S.; Aarbiou, J.; Burgers, P. C.; Zaaraoui-Boutahar, F.; Bijl, M.; van Ijcken, W.; Schrauwen, E. J.; Osterhaus, A. D.; Luider, T. M.; Scholte, B. J.; Fouchier, R. A.; Andeweg, A. C., Small hydrophobic protein of human metapneumovirus does not affect virus replication and host gene expression in vitro. *PLoS One* **2013**, 8, (3), e58572.
19. Broker, M. E.; Lalmahomed, Z. S.; Roest, H. P.; van Huizen, N. A.; Dekker, L. J.; Calame, W.; Verhoef, C.; Ijzermans, J. N.; Luider, T. M., Collagen peptides in urine: a new promising biomarker for the detection of colorectal liver metastases. *PLoS One* **2013**, 8, (8), e70918.
20. van Velzen, M.; van Loenen, F. B.; Meesters, R. J.; de Graaf, M.; Remeijer, L.; Luider, T. M.; Osterhaus, A. D.; Verjans, G. M., Latent acyclovir-resistant herpes simplex virus type 1 in trigeminal ganglia of immunocompetent individuals. *J Infect Dis* **2012**, 205, (10), 1539-43.
21. Stoop, M. P.; Rosenling, T.; Attali, A.; Meesters, R. J.; Stingl, C.; Dekker, L. J.; van Aken, H.; Suidgeest, E.; Hintzen, R. Q.; Tuinstra, T.; van Gool, A.; Luider, T. M.; Bischoff, R., Minocycline effects on the cerebrospinal fluid proteome of experimental autoimmune encephalomyelitis rats. *J Proteome Res* **2012**, 11, (8), 4315-25.
22. Smolinska, A.; Posma, J. M.; Blanchet, L.; Ampt, K. A.; Attali, A.; Tuinstra, T.; Luider, T.; Doskocz, M.; Michiels, P. J.; Girard, F. C.; Buydens, L. M.; Wijmenga, S. S., Simultaneous analysis of plasma and CSF by NMR and hierarchical models fusion. *Anal Bioanal Chem*

	<p><b>2012</b>, 403, (4), 947-59.</p> <p>23. Smolinska, A.; Blanchet, L.; Coulier, L.; Ampt, K. A.; Luider, T.; Hintzen, R. Q.; Wijmenga, S. S.; Buydens, L. M., Interpretation and visualization of non-linear data fusion in kernel space: study on metabolomic characterization of progression of multiple sclerosis. <i>PLoS One</i> <b>2012</b>, 7, (6), e38163.</p> <p>24. Singh, V.; Hintzen, R. Q.; Luider, T. M.; Stoop, M. P., Proteomics technologies for biomarker discovery in multiple sclerosis. <i>J Neuroimmunol</i> <b>2012</b>, 248, (1-2), 40-7.</p> <p>25. Ruttink, P. J.; Dekker, L. J.; Luider, T. M.; Burgers, P. C., Complexation of divalent metal ions with diols in the presence of anion auxiliary ligands: zinc-induced oxidation of ethylene glycol to glycolaldehyde by consecutive hydride ion and proton shifts. <i>J Mass Spectrom</i> <b>2012</b>, 47, (7), 869-74.</p> <p>26. Rosenling, T.; Stoop, M. P.; Attali, A.; van Aken, H.; Suidgeest, E.; Christin, C.; Stingl, C.; Suits, F.; Horvatovich, P.; Hintzen, R. Q.; Tuinstra, T.; Bischoff, R.; Luider, T. M., Profiling and identification of cerebrospinal fluid proteins in a rat EAE model of multiple sclerosis. <i>J Proteome Res</i> <b>2012</b>, 11, (4), 2048-60.</p> <p>27. Pichler, P.; Mazanek, M.; Dusberger, F.; Weilmann, L.; Huber, C. G.; Stingl, C.; Luider, T. M.; Straube, W. L.; Kocher, T.; Mechtler, K., SIMPATIQCO: a server-based software suite which facilitates monitoring the time course of LC-MS performance metrics on Orbitrap instruments. <i>J Proteome Res</i> <b>2012</b>, 11, (11), 5540-7.</p> <p>28. Noga, M. J.; Dane, A.; Shi, S.; Attali, A.; van Aken, H.; Suidgeest, E.; Tuinstra, T.; Muilwijk, B.; Coulier, L.; Luider, T.; Reijmers, T. H.; Vreeken, R. J.; Hankemeier, T., Metabolomics of cerebrospinal fluid reveals changes in the central nervous system metabolism in a rat model of multiple sclerosis. <i>Metabolomics</i> <b>2012</b>, 8, (2), 253-263.</p> <p>29. Mustafa, D. A.; Dekker, L. J.; Stingl, C.; Kremer, A.; Stoop, M.; Sillevius Smitt, P. A.; Kros, J. M.; Luider, T. M., A proteome comparison between physiological angiogenesis and angiogenesis in glioblastoma. <i>Mol Cell Proteomics</i> <b>2012</b>, 11, (6), M111 008466.</p> <p>30. Meesters, R. J.; Zhang, J.; van Huizen, N. A.; Hooff, G. P.; Gruters, R. A.; Luider, T. M., Dried matrix on paper disks: the next generation DBS microsampling technique for managing the hematocrit effect in DBS analysis. <i>Bioanalysis</i> <b>2012</b>, 4, (16), 2027-35.</p> <p>31. Meesters, R. J.; Hooff, G. P.; Gruters, R.; van Kampen, J. J.; Luider, T. M., Incurred sample reanalysis comparison of dried blood spots and plasma samples on the measurement of lopinavir in clinical samples. <i>Bioanalysis</i> <b>2012</b>, 4, (3), 237-40.</p> <p>32. Maat, P.; VanDuijn, M.; Brouwer, E.; Dekker, L.;</p>
--	---

	<p>Zeneyedpour, L.; Luider, T.; Smitt, P. S., Mass spectrometric detection of antigen-specific immunoglobulin peptides in paraneoplastic patient sera. <i>J Autoimmun</i> <b>2012</b>, 38, (4), 354-60.</p> <p>33. Liu, N. Q.; Braakman, R. B.; Stingl, C.; Luider, T. M.; Martens, J. W.; Foekens, J. A.; Umar, A., Proteomics pipeline for biomarker discovery of laser capture microdissected breast cancer tissue. <i>J Mammary Gland Biol Neoplasia</i> <b>2012</b>, 17, (2), 155-64.</p> <p>34. Jones, R. B.; John, V. M.; Hunter, D. V.; Martin, E.; Mujib, S.; Mihajlovic, V.; Burgers, P. C.; Luider, T. M.; Gyenes, G.; Sheppard, N. C.; Sengupta, D.; Tandon, R.; Yue, F. Y.; Benko, E.; Kovacs, C.; Nixon, D. F.; Ostrowski, M. A., Human endogenous retrovirus K(HML-2) Gag- and Env-specific T-cell responses are infrequently detected in HIV-1-infected subjects using standard peptide matrix-based screening. <i>Clin Vaccine Immunol</i> <b>2012</b>, 19, (2), 288-92.</p> <p>35. Hooff, G. P.; van Kampen, J. J.; Meesters, R. J.; van Belkum, A.; Goessens, W. H.; Luider, T. M., Characterization of beta-lactamase enzyme activity in bacterial lysates using MALDI-mass spectrometry. <i>J Proteome Res</i> <b>2012</b>, 11, (1), 79-84.</p> <p>36. den Boer, E.; Heil, S. G.; van Zelst, B. D.; Meesters, R. J.; Koch, B. C.; Te Winkel, M. L.; van den Heuvel-Eibrink, M. M.; Luider, T. M.; de Jonge, R., A U-HPLC-ESI-MS/MS-based stable isotope dilution method for the detection and quantitation of methotrexate in plasma. <i>Ther Drug Monit</i> <b>2012</b>, 34, (4), 432-9.</p> <p>37. Broodman, I.; de Costa, D.; Stingl, C.; Dekker, L. J.; VanDuijn, M. M.; Lindemans, J.; van Klaveren, R. J.; Luider, T. M., Mass spectrometry analyses of kappa and lambda fractions result in increased number of complementarity-determining region identifications. <i>Proteomics</i> <b>2012</b>, 12, (2), 183-91.</p> <p>38. Braakman, R. B.; Tilanus-Linthorst, M. M.; Liu, N. Q.; Stingl, C.; Dekker, L. J.; Luider, T. M.; Martens, J. W.; Foekens, J. A.; Umar, A., Optimized nLC-MS workflow for laser capture microdissected breast cancer tissue. <i>J Proteomics</i> <b>2012</b>, 75, (10), 2844-54.</p> <p>39. Blik, B. J.; Guzel, C.; de Klein, A.; Stingl, C.; Luider, T. M.; Lindemans, J.; Steegers, E. A.; Steegers-Theunissen, R. P., Peptide fingerprinting of folate-responsive proteins in human B lymphoblasts and orofacial clefting. <i>Eur J Clin Invest</i> <b>2012</b>, 42, (7), 738-50.</p> <p>40. van Kampen, J. J.; Burgers, P. C.; de Groot, R.; Gruters, R. A.; Luider, T. M., Biomedical application of MALDI mass spectrometry for small-molecule analysis. <i>Mass Spectrom Rev</i> <b>2011</b>, 30, (1), 101-20.</p> <p>41. Titulaer, M. K.; de Costa, D.; Stingl, C.; Dekker, L. J.; Sillevius Smitt, P. A.; Luider, T. M., Label-free peptide profiling of Orbitrap full mass spectra. <i>BMC Res Notes</i> <b>2011</b>, 4, 21.</p>
--	--



	<p>42. Stingl, C.; van Vilsteren, F. G.; Guzel, C.; Ten Kate, F. J.; Visser, M.; Krishnadath, K. K.; Bergman, J. J.; Luider, T. M., Reproducibility of protein identification of selected cell types in Barrett's esophagus analyzed by combining laser-capture microdissection and mass spectrometry. <i>J Proteome Res</i> <b>2011</b>, 10, (1), 288-98.</p> <p>43. Smolinska, A.; Attali, A.; Blanchet, L.; Ampt, K.; Tuinstra, T.; van Aken, H.; Suidgeest, E.; van Gool, A. J.; Luider, T.; Wijmenga, S. S.; Buydens, L. M., NMR and pattern recognition can distinguish neuroinflammation and peripheral inflammation. <i>J Proteome Res</i> <b>2011</b>, 10, (10), 4428-38.</p> <p>44. Ruttink, P. J.; Terlouw, J. K.; Luider, T. M.; Burgers, P. C., Structure and dissociation characteristics of metal chloride anion clusters containing redox-active metal ions studied by laser desorption and electrospray ionization mass spectrometry and ab initio calculations. <i>J Mass Spectrom</i> <b>2011</b>, 46, (2), 223-9.</p> <p>45. Ruttink, P. J.; Luider, T. M.; Burgers, P. C., Reduction of Cu(II) and Zn (II) to neutral metal atoms during dissociation of base ... metal monohydride complex ions. <i>J Mass Spectrom</i> <b>2011</b>, 46, (12), 1199-202.</p> <p>46. Rosenling, T.; Stoop, M. P.; Smolinska, A.; Muilwijk, B.; Coulier, L.; Shi, S.; Dane, A.; Christin, C.; Suits, F.; Horvatovich, P. L.; Wijmenga, S. S.; Buydens, L. M.; Vreeken, R.; Hankemeier, T.; van Gool, A. J.; Luider, T. M.; Bischoff, R., The impact of delayed storage on the measured proteome and metabolome of human cerebrospinal fluid. <i>Clin Chem</i> <b>2011</b>, 57, (12), 1703-11.</p> <p>47. Rosenling, T.; Attali, A.; Luider, T. M.; Bischoff, R., The experimental autoimmune encephalomyelitis model for proteomic biomarker studies: from rat to human. <i>Clin Chim Acta</i> <b>2011</b>, 412, (11-12), 812-22.</p> <p>48. Meesters, R. J.; van Kampen, J. J.; Scheuer, R. D.; van der Ende, M. E.; Gruters, R. A.; Luider, T. M., Determination of the antiretroviral drug tenofovir in plasma from HIV-infected adults by ultrafast isotope dilution MALDI-triple quadrupole tandem mass spectrometry. <i>J Mass Spectrom</i> <b>2011</b>, 46, (3), 282-9.</p> <p>49. Meesters, R. J.; den Boer, E.; Mathot, R. A.; de Jonge, R.; van Klaveren, R. J.; Lindemans, J.; Luider, T. M., Ultrafast selective quantification of methotrexate in human plasma by high-throughput MALDI-isotope dilution mass spectrometry. <i>Bioanalysis</i> <b>2011</b>, 3, (12), 1369-78.</p> <p>50. Meesters, R. J.; den Boer, E.; de Jonge, R.; Lindemans, J.; Luider, T. M., Assessment of intracellular methotrexate and methotrexate-polyglutamate metabolite concentrations in erythrocytes</p>
--	--

	<p>by ultrafast matrix-assisted laser desorption/ionization triple quadrupole tandem mass spectrometry. <i>Rapid Commun Mass Spectrom</i> <b>2011</b>, 25, (20), 3063-70.</p> <p>51. Meesters, R.; Hooff, G.; van Huizen, N.; Gruters, R.; Luider, T., Impact of internal standard addition on dried blood spot analysis in bioanalytical method development. <i>Bioanalysis</i> <b>2011</b>, 3, (20), 2357-64.</p> <p>52. L, I. J.; Dekker, L. J.; Koudstaal, P. J.; Hofman, A.; Sillevs Smitt, P. A.; Breteler, M. M.; Luider, T. M., Serum clusterin levels are not increased in presymptomatic Alzheimer's disease. <i>J Proteome Res</i> <b>2011</b>, 10, (4), 2006-10.</p> <p>53. Ijsselstijn, L.; Dekker, L. J.; Stingl, C.; van der Weiden, M. M.; Hofman, A.; Kros, J. M.; Koudstaal, P. J.; Sillevs Smitt, P. A.; Ikram, M. A.; Breteler, M. M.; Luider, T. M., Serum levels of pregnancy zone protein are elevated in presymptomatic Alzheimer's disease. <i>J Proteome Res</i> <b>2011</b>, 10, (11), 4902-10.</p> <p>54. Hooff, G. P.; van Huizen, N. A.; Meesters, R. J.; Zijlstra, E. E.; Abdelraheem, M.; Abdelraheem, W.; Hamdouk, M.; Lindemans, J.; Luider, T. M., Analytical investigations of toxic p-phenylenediamine (PPD) levels in clinical urine samples with special focus on MALDI-MS/MS. <i>PLoS One</i> <b>2011</b>, 6, (8), e22191.</p> <p>55. Hooff, G. P.; Meesters, R. J.; van Kampen, J. J.; van Huizen, N. A.; Koch, B.; Al Hadithy, A. F.; van Gelder, T.; Osterhaus, A. D.; Gruters, R. A.; Luider, T. M., Dried blood spot UHPLC-MS/MS analysis of oseltamivir and oseltamivir carboxylate--a validated assay for the clinic. <i>Anal Bioanal Chem</i> <b>2011</b>, 400, (10), 3473-9.</p> <p>56. Guzel, C.; Ursem, N. T.; Dekker, L. J.; Derkx, P.; Joore, J.; van Dijk, E.; Ligtoet, G.; Steegers, E. A.; Luider, T. M., Multiple reaction monitoring assay for pre-eclampsia related calyculin peptides in formalin fixed paraffin embedded placenta. <i>J Proteome Res</i> <b>2011</b>, 10, (7), 3274-82.</p> <p>57. Duijvesz, D.; Luider, T.; Bangma, C. H.; Jenster, G., Exosomes as biomarker treasure chests for prostate cancer. <i>Eur Urol</i> <b>2011</b>, 59, (5), 823-31.</p> <p>58. Dekker, L. J.; Zenayedpour, L.; Brouwer, E.; van Duijn, M. M.; Sillevs Smitt, P. A.; Luider, T. M., An antibody-based biomarker discovery method by mass spectrometry sequencing of complementarity determining regions. <i>Anal Bioanal Chem</i> <b>2011</b>, 399, (3), 1081-91.</p> <p>59. Coulier, L.; Gerritsen, H.; van Kampen, J. J.; Reedijk, M. L.; Luider, T. M.; Osterhaus, A. D.; Gruters, R. A.; Brull, L., Comprehensive analysis of the intracellular metabolism of antiretroviral nucleosides and nucleotides using liquid</p>
--	---



	<p>chromatography-tandem mass spectrometry and method improvement by using ultra performance liquid chromatography. <i>J Chromatogr B Analyt Technol Biomed Life Sci</i> <b>2011</b>, 879, (26), 2772-82.</p> <p>60. Charonis, A.; Luiders, T.; Baumann, M.; Schanstra, J. P., Is the time ripe for kidney tissue proteomics? <i>Proteomics Clin Appl</i> <b>2011</b>, 5, (5-6), 215-21.</p> <p>61. Braakman, R. B.; Luiders, T. M.; Martens, J. W.; Foekens, J. A.; Umar, A., Laser capture microdissection applications in breast cancer proteomics. <i>Methods Mol Biol</i> <b>2011</b>, 755, 143-54.</p> <p>62. Blanchet, L.; Smolinska, A.; Attali, A.; Stoop, M. P.; Ampt, K. A.; van Aken, H.; Suidgeest, E.; Tuinstra, T.; Wijmenga, S. S.; Luiders, T.; Buydens, L. M., Fusion of metabolomics and proteomics data for biomarkers discovery: case study on the experimental autoimmune encephalomyelitis. <i>BMC Bioinformatics</i> <b>2011</b>, 12, 254.</p> <p>Reference in text: Brennan CW, Verhaak RG, McKenna A, et al. The somatic genomic landscape of glioblastoma. <i>Cell</i> 2013;155:462-77.</p>
--	--